

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2021

Version number 4

Revision: 18.10.2021

SECTION 1: Identification of the undertaking	substance/mixture and of the company					
· 1.1 Product identifier						
	<u>ns_Universal, HeraCeram_Glaz</u> ram Zirkonia 750 Adhesive					
1.2 Relevant identified uses of the substar No further relevant information available.	nce or mixture and uses advised against					
 Application of the substance / the m 	· Application of the substance / the mixture Manufacture of dental prothesis					
1.3 Details of the supplier of the safety dat Manufacturer/Supplier: Kulzer GmbH Leipziger Straße 2, 63450 Hanau (German						
Informing department: E-Mail: msds@ku						
• 1.4 Emergency telephone number: Emerge	ency CONTACT (24-Hour-Number): +49 (0)6132-8446					
SECTION 2: Hazards identification						
2.1 Classification of the substance or mixt Classification according to Regulation STOT SE 3 H336 May cause drowsiness	(EC) No 1272/2008					
2.2 Label elements Labelling according to Regulation (EC) The product is classified and labelled acco Hazard pictograms	No 1272/2008 ording to the CLP regulation.					
GHS07						
· Signal word Warning						
 Hazard-determining components of butane-1,4-diol 	labelling:					
 Hazard statements H336 May cause drowsiness or dizzine 	ess.					
 Precautionary statements 						
	P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.					
P312 Call a POISON CENTER/C						
· 2.3 Other hazards -						
• Results of PBT and vPvB assessment • PBT: Not applicable.						
• vPvB: Not applicable.						
SECTION 3: Composition/informati	on on ingredients					
• 3.2 Chemical characterisation: Mixtures • Description: -						
· Dangerous components:						
CAS: 110-63-4 butane-1,4-diol EINECS: 203-786-5	Acute Tox. 4, H302; STOT SE 3, H336 ≥25-≤50					
	(Contd. on page					



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2021

Version number 4

Revision: 18.10.2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 1) • Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information

- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation Supply fresh air: consult doctor in case of symptoms.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. After swallowing
- Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- Seek medical treatment.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media Suitable extinguishing agents Water spray jet Alcohol-resistant foam Fire-extinguishing powder Carbon dioxide Use fire fighting measures that suit the environment. • 5.2 Special hazards arising from the substance or mixture Carbon monoxide (CO) Carbon dioxide (CO2) Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
 - **Protective equipment:** Wear self-contained breathing apparatus.
 - Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Use breathing protection against the effects of fumes/dust/aerosol. Ensure adequate ventilation
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Send for recovery or disposal in suitable containers.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2021

Version number 4

Revision: 18.10.2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 2) SECTION 7: Handling and storage • 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Information about protection against explosions and fires: No special measures required. 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. · 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · 8.1 Control parameters Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required. Additional information: The lists that were valid during the compilation were used as basis. · 8.2 Exposure controls Personal protective equipment General protective and hygienic measures Do not eat, drink or smoke while working. Be sure to clean skin thoroughly after work and before breaks. Keep away from foodstuffs, beverages and food. Wash hands during breaks and at the end of the work. Breathing equipment: Use breathing protection with high concentrations. filter: ABEK Protection of hands: Synthetic gloves Plastic gloves Check protective gloves prior to each use for their proper condition. recommended Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Butyl rubber, BR Nitrile rubber. NBR · Eye protection: Safety glasses (Contd. on page 4)



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2021

Version number 4

Revision: 18.10.2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

· **Body protection:** Light weight protective clothing

(Contd. of page 3)

9.1 Information on basic physical a	nd chemical properties	
· General Information		
· Appearance:	5 /	
· Form:	Pasty	
· Colour:	White Brown	
	Pink	
	Blue	
· Smell:	Odourless	
 Odour threshold: 	Not determined.	
· pH-value:	Not determined.	
· Change in condition	10.00	
 Melting point/freezing point: Initial boiling point and boiling 	16 °C	
· Flash point:	Not applicable	
· Inflammability (solid, gaseous)	Not applicable.	
	•••	
Ignition temperature:	370 °C	
• Decomposition temperature:	Not determined.	
· Self-inflammability:	Product is not selfigniting.	
• Explosive properties:	Product is not explosive.	
Critical values for explosion:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Steam pressure:	Not determined.	
Density	Not determined	
Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix	
Partition coefficient: n-octanol/w	vater: Not determined.	
· Viscosity:	Not datarminad	
dynamic: kinematic:	Not determined. Not determined.	
9.2 Other information		

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2021

Version number 4

Revision: 18.10.2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

· 10.2 Chemical stability

(Contd. of page 4)

- · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidant, acid chloride, acid anhydride, reductant
- 10.6 Hazardous decomposition products: None Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

110-63-4 butane-1,4-diol

Oral LD50 1,500 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rat)

• Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation
- Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Additional toxicological information:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - Germ cell mutagenicity Based on available data, the classification criteria are not met. • Carcinogenicity Based on available data, the classification criteria are not met.
 - · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SE	EC	TI	ON	V 1	2:	Ecc	oloa	ical	l inf	form	ation
<u> </u>		•••	•••	• •						•••••	

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Disposal must be made according to official regulations.

(Contd. on page 6)



Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2021

Version number 4

Revision: 18.10.2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 5) Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport informati	ion	
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
 14.3 Transport hazard class(es) 		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Ann Marpol and the IBC Code 	ex II of Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

SECTION 15: R	egulatory information
mixture	h and environmental regulations/legislation specific for the substance or information available.

· Directive 2012/18/EU

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

no information available

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

no information available

(Contd. on page 7)



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2021

Version number 4

Revision: 18.10.2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 6) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. • Relevant phrases H302 Harmful if swallowed. H336 May cause drowsiness or dizziness. • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Abstracts Service (division and Labelling of Chemicals ELINECS: European List of Notified Chemical Substances ELINES: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)