

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021

Reviewed on 10/18/2021

1 Identification

- · Product identifier
 - Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive
 - · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)800 4372522

· Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

· Emergency telephone number:

Emergency CONTACT (24-Hour-Number)

ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

· Classification of the substance or mixture

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

butane-1,4-diol

· Hazard statements

May cause drowsiness or dizziness.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

IF INHALED: Řemove person to fresh air and kéep comfortable for breathing. Call a poison center/doctor if you feel unwell.

· Classification system

· NFPA ratings for USA (scale 0-4)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-Ratings (Scale 0-4)



Health = 1 Fire = 1 Reactivity = 0

(Contd. on page 2)



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021 Reviewed on 10/18/2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 1)

Results of PBT and vPvB assessment

· **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Description: -

· Dangerous components:

110-63-4 butane-1,4-diol

Acute Tox. 4, H302; STOT SE 3, H336

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
 - General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

Seek medical treatment.

- Information for doctor
 - Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents

Water spray

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

Carbon monoxide (CO)

Carbon dioxide (CO2)

Formation of toxic gases is possible during heating or in case of fire.

· Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021 Reviewed on 10/18/2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 2)

· Additional information -

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Ensure adequate ventilation
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:					
110-63-4	butane-1,4-diol	4.7 mg/m³			
18282-10-5	tin dioxide	7.6 mg/m³			
112945-52-5	Amorphous silica	18 mg/m³			
	lithium chloride	2.3 mg/m³			
34590-94-8	Dipropylene glycol monomethyl ether	150 ppm			
· PAC-2:					
110-63-4	butane-1,4-diol	52 mg/m³			
18282-10-5	tin dioxide	85 mg/m³			
112945-52-5	Amorphous silica	100 mg/m³			
7447-41-8	lithium chloride	25 mg/m³			
34590-94-8	Dipropylene glycol monomethyl ether	1700* ppm			
PAC-3:					
110-63-4	butane-1,4-diol	640 mg/m³			
18282-10-5	tin dioxide	510 mg/m³			
112945-52-5	Amorphous silica	630 mg/m³			
7447-41-8	lithium chloride	150 mg/m³			
34590-94-8	Dipropylene glycol monomethyl ether	9900** ppm			

7 Handling and storage

- · Handling
 - · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 - · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and receptacles: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.

(Contd. on page 4)



Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021 Reviewed on 10/18/2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment

General protective and hygienic measures

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

filter: ABEK

· Protection of hands:

Synthetic gloves

Plastic gloves

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye protection: Safety glasses

· Body protection: Light weight protective clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:

Pasty White

· Color: White Brown

Pink

Blue

(Contd. on page 5)



Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021 Reviewed on 10/18/2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

	(Contd. of page
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	16 °C (60.8 °F)
· Boiling point/Boiling range:	230 °C (446 °F)
· Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	370 °C (698 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined
· Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/wa	iter): Not determined.
Viscosity:	·
· dynamic:	Not determined.
· kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Possibility of hazardous reactions No dangerous reactions known · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidant, acid chloride, acid anhydride, reductant
- Hazardous decomposition products: none
- · Additional information: -



Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021 Reviewed on 10/18/2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
 - Acute toxicity:
 - LD/LC50 values that are relevant for classification:

110-63-4 butane-1,4-diol

Oral LD50 1,500 mg/kg (rat)
Dermal LD50 >2,000 mg/kg (rat)

- · Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information: Harmful
 - Carcinogenic categories
 - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Reproductive toxicity Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 7)



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021 Reviewed on 10/18/2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

Non contaminated packagings can be used for recycling.

(Contd. of page 6)

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
Packing group · DOT, ADR, IMDG, IATA	Void	
Environmental hazards: • Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
Transport/Additional information:	-	
UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara
 - · SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

Prop 65 - Chemicals known to cause cancer

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8)



Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 10/18/2021 Reviewed on 10/18/2021

Trade name: HeraCeram Stains Universal, HeraCeram Glaze Universal, HeraCeram Zirkonia 750 Adhesive

(Contd. of page 7)

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

Date of preparation / last revision 10/18/2021 / 3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.